



CHABOT DELRIEU ASSOCIÉS

Model Ninette Tube

Semi Automatic Labelling Machine

Food Industry - Chemistry - Cosmetic -
Detergency - Painting - Pharmacy

Ninette Tube

Semi Automatic Labelling Machine

General Description

Semi-automatic labelling machine to apply self adhesive labels on hollow tubes (like silicon cartridges, tooth paste, hair gel, grease, etc...)

- ▶ The machine can apply full wrap around labels, paper or plastic ;
- ▶ The machine can be outfitted with transparent label sensor;
- ▶ With this machine you avoid big stocks of pre-printed tubes allowing more production flexibility ;
- ▶ This machine may be outfitted to work out different sizes of products.



Technical Characteristics

Semi-automatic labelling machines to be installed on a table including:

- ▶ 1 labelling station ;
- ▶ Machines working with single phased electrical supply 220 V 50 HZ or 110V 60 HZ ;
- ▶ Compressed air supply required : 3 bars ;
- ▶ Ultrasonic sensor may be installed for transparent labels ;
- ▶ Applies labels width mini 30mm up to full wrap 360° (paper quality has to be validated);
- ▶ Labelling height up to 190 mm ;
- ▶ Possibility to integrate a lot marker ;
- ▶ Production rate up to 15 products/minute;
- ▶ The machine may be delivered with a frame built on wheels.




Dimensions of the label rolls

A – Inside diameter: 75 mm

B – Outside max diameter: 260 mm

C – Max. band height: 190 mm

D – Space between labels: 3-5 mm



► Winding Direction : Left Out



CHABOT DELRIEU ASSOCIÉS